Electric Fryer

	EF-81	EF-82	WEF-171	WEF-172
Power (kW/V/Hz)	3.0/230/50	3.0+3.0/230/50	3.0/230/50	3.0+3.0/230/50
Capacity (l)	10	10+10	17	17+17
Temperature (°C)	60-200	60-200	60-200	60-200
Timer (min)	-	-	0-60	0-60
Control Switch	1	2	1	2
Weight (kg)	8	9.2	10	19
Dim (LxWxH) (cm)	28x44x32	57x44x33	30x52x37	61x52x37

	AT-17LEA
Power (kW/V/Hz)	4.5/230/50
Capacity (l)	17
Temperature (°C)	60-250
Control Switch	1
Weight (kg)	18.7
Dim (LxWxH) (cm)	50x65x45

Stir-Fry Stove

	FSS-1	FSS-2	FSS-3
Burner	Cast Iron Burner	Cast Iron Burner	Cast Iron Burner
Burner Qty	1	2	3
Weight (kg)	15.8	27.6	41.3
Dim (LxWxH) (cm)	58x66x70+38	113x66x70+38	178x66x70+38

Gas Fryer

	GF-71	GF-72	GF-181	GF-182
Capacity (l)	10	10+10	18	18+18
Temperature (°C)	-	-	60-220	60-220
Control Switch	1	2	1	2
Gas	LPG	LPG	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3	2.8-3	2.8-3
Weight (kg)	12.5	22	29	36
Dim (LxWxH) (cm)	29x47x48	58x47x48	34x63x65	68x66x65

	AT-12LX2	AT-17L
Capacity (l)	12+12	17
Temperature (°C)	160-220	160-220
Control Switch	2	1
Gas	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3
Weight (kg)	29	18.7
Dim (LxWxH) (cm)	66x50x46	53x65x45

	MPT-23CJB	MPT-36JP	MPT-46JP
Capacity (l)	40	60	80
Temperature (°C)	160-220	160-220	160-220
Control Switch	1	1	1
Gas	LPG	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3	2.8-3
Weight (kg)	38	71	96.4
Dim (LxWxH) (cm)	55x60x97	85x60x97	105x60x97

Barbecue Oven / Environmental Roaster

	VSK-702
Control Switch	2
Gas	LPG
Gas Pressure (kpa)	2.8
Weight (kg)	27.5
Dim (LxWxH) (cm)	107x40x25

	ET-K22	ET-K23	ET-K222	ET-K233
Control Switch	4	6	4	6
Gas	LPG	LPG	LPG	LPG
Gas Pressure (kpa)	2.8	2.8	2.8	2.8
Weight (kg)	24	27	11	14
Dim (LxWxH) (cm)	58x40x18	80x40x18	58x40x18	80x40x18

Salamander

	EB-600
Power (kW/V/Hz)	4.0/230/50
Temperature (°C)	50-300
Control Switch	1
Weight (kg)	49
Dim (LxWxH) (cm)	60x45x50

Gas Griddle

	TGG-720
Control Switch	2
Gas	LPG
Gas Pressure (kpa)	2.8-3
Weight (kg)	43
Dim (LxWxH) (cm)	73x57x57

Noodle Cooker (Electric)

	MP-4H	MP-6H
Power (kW/V/Hz)	4.0/230/50	6.0/230/50
Control Switch	2	3
Head	4	6
Tank Capacity (l)	15	15
Temperature (°C)	30~110	30~110
Weight (kg)	13	17
Dim (LxWxH) (cm)	42.5x60x39	60x60x39

Noodle Cooker (Gas)

	MP-6QHX
Control Switch	3
Head	6
Tank Capacity (l)	15
Gas	LPG
Gas Pressure (kpa)	2.8
Weight (kg)	32
Dim (LxWxH) (cm)	60x69x93

Induction Cooker

	FIC-350H4F	FIW-350W4F
Power (kW/V/Hz)	3.5/230/50	3.5/230/50
Temperature (°C)	60~240	60~240
Controller	Touch Control	Touch Control
Timer (minutes)	0~180	0~180
Weight (kg)	6.2	6.5
Dim (LxWxH) (cm)	34x43x12	34x43x12

Bain Marie

	BS-3V	BS-6V
Power (kW/V/Hz)	1.5/230/50	1.5/230/50
Temperature (°C)	0-110	0-110
GN Pan (pcs)	3	6
GN Pan (Size)	1/3	1/3
Weight (kg)	10	19
Dim (LxWxH) (cm)	58x45x24	71x66x29

Egg Boiler

	FEB-50
Power (kW/V/Hz)	0.8/230/50
Capacity (l)	9
Productivity (pcs)	50
Weight (kg)	4.3
Dim (LxWxH) (cm)	19x40x29

Conveyor Toaster

	TT-300
Power (kW/V/Hz)	1.94/230/50
Productivity (slices/hr)	300-350
Temperature (°C)	50-300
Control Switch	1
Weight (kg)	16
Dim (LxWxH) (cm)	42x37x39

Food Display Warmer (Wet)

	MME-500H
Power (kW/V/Hz)	0.9/230/50
Temperature (°C)	50-110
Type	Wet
Rack (pcs)	5
Weight (kg)	24
Dim (LxWxH) (cm)	38x40x75

Food Display Warmer (Dry)

	FWS-2P	FWS-3P	FWS-601
Power (kW/V/Hz)	0.8/230/50	1.2/230/50	1.2/230/50
Temperature (°C)	30-85	30-85	30-85
Type	Dry	Dry	Dry
Rack (pcs)	2	2	3
Weight (kg)	21	29	30
Dim (LxWxH) (cm)	66x46x60	95x46x60	66x49x64.5

	FW-23S	FW-24S
Power (kW/V/Hz)	1.0/230/50	1.0/230/50
Temperature (°C)	50	50
Type	Dry	Dry
Rack (pcs)	2	2
Weight (kg)	100	130
Dim (LxWxH) (cm)	90x68x121	120x68x121

Waffle Baker

	UWB-2
Power (kW/V/Hz)	1+1/230/50
Temperature (°C)	50-300
Blade (cm)	Ø17.8
Weight (kg)	17
Dim (LxWxH) (cm)	52x38x67

Popcorn Machine

	EB-08
Power (kW/V/Hz)	1.3/230/50
Weight (kg)	20
Dim (LxWxH) (cm)	52x38x67

Hamburger Machine

	HF-100	HF-130
Plate Size (cm)	Ø10	Ø13
Weight (kg)	5.2	5.5
Dim (LxWxH) (cm)	29x21x27	29x21x27

Hot Dog Roller

	RG-9C
Power (kW/V/Hz)	0.9/230/50
Temperature (°C)	50-250
Control Switch	2
Roller (pc)	9
Weight (kg)	14
Dim (LxWxH) (cm)	58x39x41

Soup Kettle

	SB-6000
Power (kW/V/Hz)	0.4/230/50
Capacity (l)	10
Temperature (°C)	35-95
Weight (kg)	4.8
Dim (LxWxH) (cm)	Ø34x39

Water Boiler

	WB-30	WB-40
Power (kW/V/Hz)	3.0/230/50	3.0/230/50
Capacity (l)	30	40
Temperature (°C)	30-110	30-110
Cup	125	170
Weight (kg)	4.65	5.2
Dim (LxWxH) (cm)	Ø39x42	Ø44x55

Cup Sealer

	BF05	QF08
Power (kW/V/Hz)	0.35/230/50	0.4/230/50
Type	Manual	Auto
Productivity (cups/h)	300	400
Cup Size (cm)	Ø7.5/9.5	Ø7.5/9.5
Weight (kg)	13	26
Dim (LxWxH) (cm)	29x30x51	34x38x59